


## METHOD AND APPARATUS FOR MAINTAINING PERIPHERAL DEVICE SUPPORT INFORMATION BART DAHNEKE ET AL. SER. NO. 10/073,571 REPLACEMENT DRAWING SHEET 1363-010 PAGE 1 OF 5



METHOD AND APPARATUS FOR MAINTAINING PERIPHERAL
DEVICE SUPPORT INFORMATION
BART DAHNEKE ET AL.
SER. NO. 10/073,571
REPLACEMENT DRAWING SHEET
1363-010
PAGE 2 OF 5






FIG. 2



METHOD AND APPARATUS FOR MAINTAINING PERIPHERAL
DEVICE SUPPORT INFORMATION
BART DAHNEKE ET AL.
SER. NO. 10/073,571
REPLACEMENT DRAWING SHEET
1363-010
PAGE 3 OF 5





FIG. 3



## METHOD AND APPARATUS FOR MAINTAINING PERIPHERAL DEVICE SUPPORT INFORMATION BART DAHNEKE ET AL. SER. NO. 10/073,571 REPLACEMENT DRAWING SHEET 1363-010 PAGE 4 OF 5



F1G. 4



## METHOD AND APPARATUS FOR MAINTAINING PERIPHERAL DEVICE SUPPORT INFORMATION BART DAHNEKE ET AL. SER. NO. 10/073,571 REPLACEMENT DRAWING SHEET 1363-010 PAGE 5 OF 5

<PARAM NAME=printer-url VALUE=http://serverDNSname/ipp/hp4500>
<PARAM NAME=result-type VALUE=msgBox> CLASSID="clsid:36723f97\_7aa0-11d4-8919-FF2D71D0D32C" CODEBASE="IENIPP.OCX>" <PARAM NAME=operation VALUE=op-printer-install> •HTML for IE installation <OBJECT OBJECT>

•HTML for Netscape installation

<EMBED TYPE=application/x-Novell-ipp

width=100 height=30
operation=op-printer-install
printer-url=http://serverDNSname/ipp/hp4500
result-type=msgBox
driver-options=papersize=A4;copies=1;color=TRUE;
persistence=volatile-date-time:2001,3,22,8,30
target-frame=\_new>

FIG. 5